

# **PRODUCT DATASHEET**Vintage 1906 PenduLum PRO Black

Vintage 1906 PenduLum PRO | Indoor pendant luminaires in vintage style



#### **AREAS OF APPLICATION**

- Living areas (living rooms, dining rooms, bedrooms etc.)
- Professional (hotels, bars, boutiques etc.)

#### **PRODUCT BENEFITS**

- Flexible lighting thanks to countless mounting possibilities
- Made of solid aluminum with high-quality appearance
- Semi-matt surface with great look and feel
- Accessories for flexible mounting options included

#### **PRODUCT FEATURES**

- Reduced industrial design
- Made of classic materials
- Special vintage appeal when combined with 1906 LED and halogen lamps
- Flexible mounting options: leash principle
- Available in various colors




# **TECHNICAL DATA**

## Electrical data

Nominal voltage	220240 V
Mains frequency	50/60 Hz

# Dimensions & weight



Length	84.0 mm
Diameter	68.0 mm
Height	84.0 mm
Product weight	481.00 g
Cable length	3000 mm

## Colors & materials

Body material	Aluminum
Housing color	Black
Product color	Black
Housing color	Black

# Lifespan

Lifespan L70/B50 at 25 °C	- h
Lifespan L80/B10 at 25 °C	- h
Lifespan L90/B10 at 25 °C	- h

# Additional product data

Mounting type	Suspended
Mounting location	Ceiling
Equipped with lamp	No

# Capabilities

Dimmable	No
Type of connection	Screw terminal, 3-Pole
Holder designation	E27

#### Certificates & standards

Protection class IK (shock resistance)	IK03
Glow Wire Test according to IEC 695-2-1	
Protection class	II
Type of protection	IP20
Standards	CE

## **LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075153844	Folding carton box 1	140 mm x 140 mm x 213 mm	627.00 g	4.17 dm³
4058075153851	Shipping carton box 4	291 mm x 291 mm x 228 mm	2766.00 g	19.31 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

# **REFERENCES / LINKS**

"Further information at

www.edition-1906.com"

## **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.