

Toledo Mirage E115 TOLEDO MIRAGE E115 0029944



Product features

A perfect choice for hospitality, decorative and mood lighting applications Unique and innovative lamp design and construction Low-lumen output to create the low-lit effect and gives no glare Low power construction: only 2.5WPerfect for SylPendant fixtures - a range of unique and elegant E27 lamp pendants, available in copper, brass, black and white finish Candlelight 2000K colour temperature creates a warm and cosy ambience High colour rendering - CRI80 High quality, scratch and temperature resistant golden tinted glass envelope 25,000 hours of average rated life. Last 25 times longer than incandescent lamps Omni-directional light distribution of 300° Non-dimmable More than 100,000X switching cycles 3 years warranty









NOTES

undefined

PRODUCT OVERVIEW

IPC Code	0029944
Product name	TOLEDO MIRAGE E115
Technology	LED
Watt (Rated) (W)	2.5
Cap/Base	E27
Fixture rating	Open
General application	Residential & Consumer
Certifications	EUTIE103
ETIM Class	EC001959
E-number FI	4740683
Luminous flux (Im)	105
Colour temperature (K)	2000
Light colour	Candlelight
CRI (Ra)	80
Wattage (W)	2.5
Product Voltage (V)	230
Average life (Nominal) (h)	25000
Product EAN number	5410288299440

DATA TABLE

General data	
IPC Code	0029944
Product name	TOLEDO MIRAGE E115
Technology	LED
Watt (Rated) (W)	2.5
Cap/Base	E27
Fixture rating	Open
General application	Residential & Consumer



Toledo Mirage E115 TOLEDO MIRAGE E115 0029944

Operating Temperature Range (°C)	25
Certifications	EUTIE103
ETIM Class	EC001959
E-number FI	4740683
Optical data	
Luminous flux (lm)	105
Luminous flux (Rated) (Im)	105
Colour temperature (K)	2000
Light colour	Candlelight
CRI (Ra)	80
Beam angle (Rated) (°)	100
Electrical data	
Electrical data	
Wattage (W)	2.5
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max)	1
(s)	220
Product Voltage (V)	230 0.5
Lamp power factor	100000
No. Of switching cycles before premature failures	100000
Lamp Energy Label (class)	A
kWh per 1000 hours burning time	3
Nominal Frequency (Hz)	50/60Hz
I ifatina a data	
Lifetime data	
Average life (Nominal) (h)	25000
	25000 25000
Average life (Nominal) (h) Average life (Rated) (h)	
Average life (Nominal) (h) Average life (Rated) (h) Physical data	25000
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm)	25000 347
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm) Nominal Product Diameter (mm)	25000 347 116
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm)	25000 347
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm) Nominal Product Diameter (mm) Weight (kg)	25000 347 116
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm) Nominal Product Diameter (mm) Weight (kg) Packaging	25000 347 116 0.29
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm) Nominal Product Diameter (mm) Weight (kg) Packaging Single packaging type	25000 347 116 0.29 Carton
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm) Nominal Product Diameter (mm) Weight (kg) Packaging Single packaging type Product EAN number	25000 347 116 0.29 Carton 5410288299440
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm) Nominal Product Diameter (mm) Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm)	25000 347 116 0.29 Carton 5410288299440 37.0
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm) Nominal Product Diameter (mm) Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single width (cm)	25000 347 116 0.29 Carton 5410288299440 37.0 12.6
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm) Nominal Product Diameter (mm) Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single depth (cm)	25000 347 116 0.29 Carton 5410288299440 37.0 12.6 12.6
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm) Nominal Product Diameter (mm) Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single width (cm) Packaging single depth (cm) DUN14 (outer)	25000 347 116 0.29 Carton 5410288299440 37.0 12.6 12.6 15410288299447
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm) Nominal Product Diameter (mm) Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single depth (cm) DUN14 (outer) Units per outer package	25000 347 116 0.29 Carton 5410288299440 37.0 12.6 12.6 15410288299447 4
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm) Nominal Product Diameter (mm) Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single depth (cm) DUN14 (outer) Units per outer package Packaging outer length / height (cm)	25000 347 116 0.29 Carton 5410288299440 37.0 12.6 12.6 15410288299447 4 27.0
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm) Nominal Product Diameter (mm) Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single depth (cm) DUN14 (outer) Units per outer package Packaging outer length / height (cm) Packaging outer width (cm)	25000 347 116 0.29 Carton 5410288299440 37.0 12.6 12.6 15410288299447 4 27.0 27.0
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm) Nominal Product Diameter (mm) Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single depth (cm) DUN14 (outer) Units per outer package Packaging outer length / height (cm)	25000 347 116 0.29 Carton 5410288299440 37.0 12.6 12.6 15410288299447 4 27.0
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm) Nominal Product Diameter (mm) Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single depth (cm) DUN14 (outer) Units per outer package Packaging outer length / height (cm) Packaging outer width (cm)	25000 347 116 0.29 Carton 5410288299440 37.0 12.6 12.6 15410288299447 4 27.0 27.0
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Length (mm) Nominal Product Diameter (mm) Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single depth (cm) DUN14 (outer) Units per outer package Packaging outer length / height (cm) Packaging outer width (cm) Packaging outer depth (cm)	25000 347 116 0.29 Carton 5410288299440 37.0 12.6 12.6 15410288299447 4 27.0 27.0



Toledo Mirage E115 TOLEDO MIRAGE E115 0029944

 Special purpose lamp
 No

 Dry applications use only
 Yes

 Suitable for household illumination
 Yes

 Safety message
 Not Suitable for totally enclosed fixtures

