

# ToLEDo Striplight V2

ToLEDo ST V2 300mm 3.5W 280lm S14D

0026853



## Range Features

- Value for money.
- Easy retrofit for your bathroom and kitchen fixture.
- Energy saving incandescent retrofit LED lamp for shaver lighting and mirror lighting.
- Low power consumption to maximise energy saving potential.
- 15'000 hours life reducing maintenance costs.
- Existing in different length and caps (S15s,S19,S14s,S14d).
- 3 Year warranty.

## PRODUCT OVERVIEW

Lamp finish	frosted
Lamp shape	Striplight
Colour temperature (K)	2700
CRI (Ra)	80
Dimmable	no
EAN code	5410288268538
Energy class	A+
Equivalent watt (W)	35
Cap/Base	S14d
Type	ToLEDo Striplight
Watt (Nominal) (W)	3.5
Light colour	827 Homelight
Ordering number	0026853
Efficacy (Rated) (lm/w)	80
Average life (Rated) (h)	15000
Luminous flux (Rated) (lm)	280
Technology	LED
Voltage (V)	220-240
Colour consistency (SDCM)	6

## DATA TABLE

### General data

Average life (Nominal) (h)	15000
Control gear required	No
Lamp finish	frosted
Lamp shape	Striplight
Control gear availability	No
Dimmable	no
EAN code	5410288268538

# ToLEDo Striplight V2

ToLEDo ST V2 300mm 3.5W 280lm S14D

**0026853**

<b>Energy class</b>	A+
<b>General application</b>	Hospitality; Residential & Consumer
<b>Intended purpose</b>	General lighting
<b>Cap/Base</b>	S14d
<b>Lamp mercury content (mg)</b>	0
<b>Type</b>	ToLEDo Striplight
<b>No. of switching cycles before premature failure (min)</b>	50000
<b>Optimal operating condition (°C)</b>	25
<b>Ordering number</b>	0026853
<b>Range features</b>	Value for money. Easy retrofit for your bathroom and kitchen fixture. Energy saving incandescent retrofit LED lamp for shaver lighting and mirror lighting. Low power consumption to maximise energy saving potential. 15'000 hours life reducing maintenance costs. Existing in different length and caps (S15s,S19,S14s,S14d). 3 Year warranty.
<b>Product name</b>	ToLEDo ST V2 300mm 3.5W 280lm S14D
<b>Average life (Rated) (h)</b>	15000
<b>Special purpose lamp</b>	No
<b>Starting time (max) (s)</b>	0.05
<b>Technology</b>	LED
<b>Transformer required</b>	No
<b>Warm-up time to 60% of full light (max) (s)</b>	< 1s => 60%

## Optical data

<b>Colour temperature (K)</b>	2700
<b>CRI (Ra)</b>	80
<b>Light colour</b>	827 Homelight
<b>Lumen maintenance at end of nominal life (%)</b>	70
<b>Luminous flux (Nominal) (lm)</b>	280
<b>Luminous flux (Rated) (lm)</b>	280
<b>Suitable for accent lighting</b>	no
<b>Adjustable chromaticity</b>	no
<b>Colour consistency (SDCM)</b>	6

## Electrical data

<b>Current (A)</b>	29
<b>Equivalent watt (W)</b>	35
<b>kWh per 1000 hours burning time</b>	4
<b>Lamp power factor</b>	0.5
<b>Watt (Nominal) (W)</b>	3.5

## ToLEDo Striplight V2

*ToLEDo ST V2 300mm 3.5W 280lm S14D*


**0026853**

<b>Efficacy (Rated) (lm/w)</b>	80
<b>Watt (Rated) (W)</b>	3.5
<b>Voltage (V)</b>	220-240

### Physical data

<b>Max. Lamp Diameter (mm) - D</b>	26
<b>Lamp Length (mm) - C/L</b>	300
<b>Lamp dimension equal to filament lamp equivalent</b>	yes
<b>Designed for optimum use in non standard conditions</b>	No
<b>Fluorescent lamp replacement</b>	no

## TECHNICAL DRAWINGS



## ToLEDo Striplight V2

ToLEDo ST V2 300mm 3.5W 280lm S14D

**0026853**

