

Features


-



Product Overview

ETIM Class	EC000987
Luminaire efficacy (lm/W)	100
Product name	CABINET SENSE ADJUSTABLE
IP rating	IP20
IPC Code	0053637
Type	LED
Photobiological Risk Group	RG0
Product EAN number	5410288536378
Technology	LED
Total power consumption (W)	0.4
Colour temperature (K)	4000
IK rating	IK03
Electrical protection	Class III
Fixture luminous flux (lm)	40
CRI (Ra)	70
General application	Residential & Consumer

Technical drawings



Data table

GENERAL DATA

IPC Code	0053637
Product name	CABINET SENSE ADJUSTABLE
Technology	LED
Type	LED
General application	Residential & Consumer
ETIM Class	EC000987

OPTICAL DATA

Fixture luminous flux (lm)	40
Luminaire efficacy (lm/W)	100
Colour temperature (K)	4000
Colour Code	N/A
CRI (Ra)	70
Photobiological Risk Group	RG0

ELECTRICAL DATA

Total power consumption (W)	0.4
-----------------------------	-----

Mains voltage (V)	4.5V
Electrical protection	Class III
Control gear required	No
Drive current (mA)	150

LIFETIME DATA

Lumen maintenance - L70 B50	10000
-----------------------------	-------

PHYSICAL DATA

IP rating	IP20
IK rating	IK03
Nominal Product Length (mm)	80
Nominal Product Width (mm)	80
Nominal Product Height (mm)	50
Weight (kg)	0.082

PACKAGING

Single packaging type	Carton
Product EAN number	5410288536378
Packaging single length / height (cm)	21.5
Packaging single width (cm)	20.0
Packaging single depth (cm)	5.5
DUN14 (inner)	25410288536372
Units per inner package	6
Packaging inner length / height (cm)	22.0
Packaging inner width (cm)	21.0
Packaging inner depth (cm)	13.0
DUN14 (outer)	15410288536375
Units per outer package	24
Packaging outer length / height (cm)	43.5
Packaging outer width (cm)	23.5
Packaging outer depth (cm)	28.5

SAFETY DATA

Special purpose lamp	No
----------------------	----

Dry applications use only	No
Suitable for household illumination	No

Energy label

SYLVANIA

0053637



This luminaire contains built-in LED lamps

A++

A+

A

B

C

D

E

}

LED

The lamps cannot be changed in the luminaire.

874/2012

