


Features

- Battery operated portable light designed for various lighting applications where no suitable electrical socket is available. Uniform light output. Attractive and functional design. Integrated motion and day/night sensor. Low power consumption. IP44 - suitable for roofed outdoor areas. Versatile can be used for a wide range of indoor and outdoor applications like entrance lighting, corridors, balconies, patios, garage. Auto / On / Off switch. 4xAA batteries included.

Product Overview

ETIM Class	EC000987
Luminaire efficacy (lm/W)	22
Product name	WALL SQUARE SENSE
IP rating	IP20
Photobiological Risk Group	RG0
Product EAN number	5410288536439
Certifications	EUNEW009
E-number FI	8709900
Technology	LED
Total power consumption (W)	1.1
Colour temperature (K)	4000
IK rating	IK03
Electrical protection	Class III
Fixture luminous flux (lm)	25
CRI (Ra)	80
General application	Residential & Consumer

Technical drawings



Data table

GENERAL DATA

Product name	WALL SQUARE SENSE
Technology	LED
General application	Residential & Consumer
Certifications	EUNEW009
ETIM Class	EC000987
E-number FI	8709900

OPTICAL DATA

Fixture luminous flux (lm)	25
Luminaire efficacy (lm/W)	22
Colour temperature (K)	4000
CRI (Ra)	80
Photobiological Risk Group	RG0

ELECTRICAL DATA

Total power consumption (W)	1.1
Mains voltage (V)	4.5V

Electrical protection	Class III
Control gear required	No
Drive current (mA)	190
Nominal Frequency (Hz)	DC

LIFETIME DATA

Lumen maintenance - L70 B50	25000
-----------------------------	-------

PHYSICAL DATA

IP rating	IP20
IK rating	IK03
Nominal Product Length (mm)	143
Nominal Product Width (mm)	35
Nominal Product Height (mm)	103
Weight (kg)	0.258

PACKAGING

Single packaging type	Carton
Product EAN number	5410288536439
Packaging single length / height (cm)	21.5
Packaging single width (cm)	20.0
Packaging single depth (cm)	4.5
DUN14 (inner)	25410288536433
Units per inner package	6
Packaging inner length / height (cm)	22.5
Packaging inner width (cm)	26.0
Packaging inner depth (cm)	22.0
DUN14 (outer)	15410288536436
Units per outer package	24
Packaging outer length / height (cm)	47.0
Packaging outer width (cm)	28.0
Packaging outer depth (cm)	46.5

SAFETY DATA


Special purpose lamp	No
----------------------	----

Dry applications use only	No
Suitable for household illumination	No
Safety message	Not Suitable for totally enclosed fixtures

Energy label

SYLVANIA

0053643



This luminaire contains built-in LED lamps

A++

A+

A

B

C

D

E

}

LED

The lamps cannot be changed in the luminaire.

874/2012

