



MADE IN
ITALY



TOP SELECTION GARDEN 2016 - CLASSIC RANGE



MADE IN ITALY

BISSO/ANNA

for details see pag. 5

E22.131

NEW

FILAMENT LED LAMP

- Perfect matching with classic lanterns: clear LED filament lamp with the look and the feeling of an incandescent bulb.
- Suitable for outdoor use: 100-240V built-in driver fully protected against heat and humidity by silicone paste.
- Omnidirectional light: 360° light output for a better lighting distribution.
- High efficiency: 90% energy saving.

6W

800lm

100-240V

8W NEW

1000lm

100-240V

12W NEW

1500lm

100-240V

2700 Kelvin

360°

SAPPHIRE LED SUPPORT EPISTAR CHIP

90% HYDROGEN GAS

SILICONE PROTECTION

DRIVER

INDOOR & OUTDOOR USE

+80°C

-30°

90% HUMIDITY

VOLTAGE SURGE RESISTANT

ENERGY CLASS

A+ A A- B C D E

LVD tested

EMC tested

ERP 6000 h

more details at page 58

ANNA

4

SABA

8

GLOBE 250

12

IESSE

52

RUT

16

SALEM

20

GOLIA

24

CEFA

28

GLOBE 300

32

DARIA

52

NOEMI

36

SIIOE

40

TOBIA

44

SIMON

48

SAURO 1100

55

SAURO 800

55

SAURO 500

56

MIRELLA

57

GARDEN SMALL

GARDEN MEDIUM

GARDEN LARGE

BOLLARDS

2

3

ANNA RANGE

SMALL SIZE



MADE IN ITALY

E22.110.F1R

NEW FILAMENT LED

INDOOR & OUTDOOR USE

+80°C
-30°C 90% HUMIDITY

6W (800 lm)
8W (1000 lm)
12W (1500 lm)

More details at page 58



SMALL SIZE

ANNA RANGE

SMALL LANTERN



AVAILABLE COLORS			
RESIN BODY	DIFFUSER		
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)

E27 LED FILAMENT VERSION	
	6W 800lm 2700K 100-240V = 60W INCANDESCENT CRI 80

E27 VERSION

BISSO/ANNA



E27 LED FILAMENT 6W
E22.131.F1R

E27
E22.131.E27



Master box: 18pcs

MIKROLOT/ANNA

E27 LED FILAMENT 6W
E22.110.F1R

E27
E22.110.E27




Master box: 18pcs

SICHEM/ANNA

E27 LED FILAMENT 6W
E22.120.F1R

E27
E22.120.E27



Master box: 18pcs

MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



MADE IN ITALY

ANNA RANGE

SMALL SIZE



AVAILABLE COLORS

RESIN BODY	DIFFUSER
 BLACK (A)	 WHITE (W)
 CLEAR (X)	 OPAL (Y)

E27 LED FILAMENT VERSION



6W
800lm
2700K
100-240V
CRI 80

= 60W INCANDESCENT

E27 VERSION




MIZAR/ANNA (resin)



IP55

E27 LED FILAMENT 6W
E22.151.F1R

E27
E22.151.E27




ALOE'R/ANNA (resin)



IP55

E27 LED FILAMENT 6W
E22.163.F1R

E27
E22.163.E27



ARTU'/ANNA



IP55

E27 LED FILAMENT 6W
E22.158.F1R

E27
E22.158.E27






SMALL SIZE

ANNA RANGE

"METAL POST COVERED BY RESIN"



STEEL
RESIN
EXPANSE

fumaTech
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED
MADE IN ITALY

ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZERS


GIGI BISSO/ANNA 2L

E27 LED FILAMENT 6W
E22.156.S20.F1R

E27
E22.156.S20.E27

IP55






GIGI BISSO/ANNA 3L

E27 LED FILAMENT 6W
E22.156.S30.F1R

E27
E22.156.S30.E27

IP55





SMALL LANTERN

ANNA
SABA
GLOBE250

MEDIUM LANTERN

RUT
SALEM
GOLIA
CEFA
GLOBE 300

LARGE LANTERN

NOEMI
SILOE
TOBIA
SIMON

HALF LANTERN

IESSE/DARIA

BOLLARD

SAURO/MIRELLA

SABA RANGE

SMALL SIZE



MADE IN ITALY



K22.131.F1R

NEW FILAMENT LED

INDOOR & OUTDOOR USE

+80°C
-30°C

90% HUMIDITY

6W (800 lm)
8W (1000 lm)
12W (1500 lm)

More details at page 58



SMALL SIZE

SABA RANGE

SMALL LANTERN



AVAILABLE COLORS			
RESIN BODY		DIFFUSER	
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)

E27 LED FILAMENT VERSION	
	6W 800lm 2700K 100-240V = 60W INCANDESCENT CRI 80

E27 VERSION

BISSO/SABA



E27 LED FILAMENT 6W K22.131.F1R
E27 K22.131.E27
Master box: 18pcs

MIKROLOT/SABA

E27 LED FILAMENT 6W K22.110.F1R
E27 K22.110.E27
Master box: 18pcs

SICHEM/SABA

E27 LED FILAMENT 6W K22.120.F1R
E27 K22.120.E27
Master box: 18pcs

MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



SABA RANGE

SMALL SIZE



AVAILABLE COLORS

RESIN BODY	DIFFUSER
 BLACK (A)	 WHITE (W)
 CLEAR (X)	 OPAL (Y)

E27 LED FILAMENT VERSION



6W
800lm
2700K
100-240V
= 60W INCANDESCENT
CRI 80

E27 VERSION




MIZAR/SABA (resin)



E27 LED FILAMENT 6W
K22.151.F1R

E27
K22.151.E27




ALOE'.R/SABA (resin)



E27 LED FILAMENT 6W
K22.163.F1R

E27
K22.163.E27




ARTU'/SABA



E27 LED FILAMENT 6W
K22.158.F1R

E27
K22.158.E27






SMALL SIZE

SABA RANGE

"METAL POST COVERED BY RESIN"



STEEL
RESIN
EXPANSE

fumaTech
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED
MADE IN ITALY


ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZERS

GIGI BISSO/SABA 2L

E27 LED FILAMENT 6W
K22.156.S20.F1R

E27
K22.156.S20.E27






GIGI BISSO/SABA 3L

E27 LED FILAMENT 6W
K22.156.S30.F1R

E27
K22.156.S30.E27





SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



GLOBE 250 RANGE

SMALL SIZE



MADE IN ITALY

NEW FILAMENT LED

INDOOR & OUTDOOR USE

+80°C
-30°C 90% HUMIDITY

6W (800 lm)
8W (1000 lm)
12W (1500 lm)

More details at page 58



G25.131.F1R



SMALL SIZE

GLOBE 250 RANGE

SMALL LANTERN



AVAILABLE COLORS				
RESIN BODY		DIFFUSER		
BLACK [A]	WHITE [W]	CLEAR [X]	OPAL [Y]	SMOKED [Z]

E27 LED FILAMENT VERSION	
	6W 800lm 2700K 100-240V = 60W INCANDESCENT CRI 80


E27 VERSION

BISSO/G250



E27 LED
FILAMENT 6W
G25.131.F1R

E27
G25.131.E27




box: 4pcs

MIKROLOT/G250

E27 LED
FILAMENT 6W
G25.110.F1R

E27
G25.110.E27




box: 4pcs

SICHEM/G250

E27 LED
FILAMENT 6W
G25.120.F1R

E27
G25.120.E27



box: 4pcs

MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



MADE IN ITALY

GLOBE 250 RANGE SMALL SIZE



AVAILABLE COLORS

RESIN BODY	DIFFUSER

BLACK [A] WHITE [W] CLEAR [X] OPAL [Y] SMOKED [Z]

E27 LED FILAMENT VERSION

6W
800lm
2700K
100-240V
CRI 80

ENERGY CLASS: **A+**

≈ 60W INCANDESCENT

E27 VERSION

MIZAR/G250 (resin)

E27 LED FILAMENT 6W
G25.151.F1R

E27
G25.151.E27

box: **4pcs**

ALOE'.R/G250 (resin)

E27 LED FILAMENT 6W
G25.163.F1R

E27
G25.163.E27

box: **2pcs**

ARTU'/G250

E27 LED FILAMENT 6W
G25.158.F1R

E27
G25.158.E27

box: **2pcs**



SMALL SIZE GLOBE 250 RANGE

"METAL POST COVERED BY RESIN"

STEEL
RESIN
EXPANSE

fumaTech
FUMAGALLI POLES TECHNOLOGY

ANTI RUST LIFETIME GUARANTEE
NO PAINTING REQUIRED
MADE IN ITALY

ANTI CORROSION **UV-RAYS STABILIZED** **NO MAINTENANCE** **DOUBLE INSULATION** **NOT AFFECTED BY CHEMICAL FERTILIZERS**

GIGI BISSO/G250 2L

E27 LED FILAMENT 6W
G25.156.S20.F1R

E27
G25.156.S20.E27

box: **2pcs**

GIGI BISSO/G250 3L

E27 LED FILAMENT 6W
G25.156.S30.F1R

E27
G25.156.S30.E27

box: **2pcs**

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



RUT RANGE

MEDIUM SIZE



MADE IN ITALY



E26.157.S30.M1R

NEW FILAMENT LED

INDOOR & OUTDOOR USE

+80°C
-30°C 90% HUMIDITY

6W (800 lm)
8W (1000 lm)
12W (1500 lm)

More details at page 58



MEDIUM SIZE

RUT RANGE

AVAILABLE COLORS

RESIN BODY



BLACK (A)

WHITE (W)

DIFFUSER



CLEAR (X)

OPAL (Y)

E27 LED FILAMENT VERSION



NEW
8W
1000lm
2700K
100-240V
= 75W INCANDESCENT
CRI 80

E27 VERSION



BISSO/RUT

IP55




E27 LED FILAMENT 8W

E26.131.M1R

E27

E26.131.E27

NEW VERSION



Master box: 12pcs

MINILOT/RUT


E27 LED FILAMENT 8W

E26.111.M1R

E27

E26.111.E27

NEW VERSION



Master box: 12pcs

SICHEM/RUT


E27 LED FILAMENT 8W

E26.120.M1R

E27

E26.120.E27

NEW VERSION



Master box: 12pcs

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



MADE IN ITALY

RUT RANGE

MEDIUM SIZE



AVAILABLE COLORS

RESIN BODY	DIFFUSER
 BLACK (A)	 WHITE (W)
 CLEAR (X)	 OPAL (Y)

E27 LED FILAMENT VERSION

NEW

8W

1000lm

2700K

100-240V

CRI 80

= 75W INCANDESCENT

ENERGY CLASS: **A+**

E27 VERSION




MIZAR/RUT (resin)

IP55

E27 LED FILAMENT 8W
E26.151.M1R

E27
E26.151.E27

NEW VERSION



260
1150
Ø 50
Ø 150


RICU BISSO/RUT 2L

IP55

E27 LED FILAMENT 8W
E26.157.S20.M1R

E27
E26.157.S20.E27

NEW VERSION



690
2500
Ø 245


RICU BISSO/RUT 3L

IP55

E27 LED FILAMENT 8W
E26.157.S30.M1R

E27
E26.157.S30.E27

NEW VERSION



640
2500
Ø 245



MEDIUM SIZE

RUT RANGE

"METAL POST COVERED BY RESIN"

STEEL
RESIN
EXPANSE

fumaTech
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED
MADE IN ITALY

ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZERS


ALOE'.R/RUT (resin)

IP55

E27 LED FILAMENT 8W
E26.163.M1R

E27
E26.163.E27

NEW VERSION



260
1500
Ø 190

ARTU'/RUT

IP55

E27 LED FILAMENT 8W
E26.158.M1R

E27
E26.158.E27

NEW VERSION



1920
Ø 245


GIGI/RUT

IP55

E27 LED FILAMENT 8W
E26.156.M1R

E27
E26.156.E27

NEW VERSION



260
2130
Ø 245

RICU/RUT

IP55

E27 LED FILAMENT 8W
E26.157.M1R

E27
E26.157.E27

NEW VERSION



2410
Ø 245

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



SALEM RANGE

MEDIUM SIZE



MADE IN ITALY

K26.111.M1R



NEW FILAMENT LED

INDOOR & OUTDOOR USE

+80°C
-30°

90% HUMIDITY

6W (800 lm)
8W (1000 lm)
12W (1500 lm)

More details at page 58



MEDIUM SIZE

SALEM RANGE

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



AVAILABLE COLORS			
RESIN BODY		DIFFUSER	
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)

E27 LED FILAMENT VERSION	
	NEW 8W 1000lm 2700K 100-240V = 75W INCANDESCENT CRI 80

E27 VERSION	

BISSEO/SALEM	
IP55 ◆ ▲ ▲	E27 LED FILAMENT 8W K26.131.M1R E27 K26.131.E27 NEW VERSION
Master box: 12pcs	

MINILOT/SALEM	
E27 LED FILAMENT 8W K26.111.M1R E27 K26.111.E27 NEW VERSION	IP55 ◆ ▲ ▲
Master box: 12pcs	

SICHEM/SALEM	
E27 LED FILAMENT 8W K26.120.M1R E27 K26.120.E27 NEW VERSION	IP55 ◆ ▲ ▲
Master box: 12pcs	

MADE IN ITALY

SALEM RANGE

MEDIUM SIZE



AVAILABLE COLORS

RESIN BODY	DIFFUSER
 BLACK (A)	 WHITE (W)
 CLEAR (X)	 OPAL (Y)

E27 LED FILAMENT VERSION

NEW

8W

1000lm


2700K

100-240V

CRI 80

≈ 75W INCANDESCENT

E27 VERSION




MIZAR/SALEM (resin)

IP55

E27 LED FILAMENT 8W
K26.151.M1R

E27
K26.151.E27



260

1150

Ø 50


Ø 150

RICU BISSO/SALEM 2L

IP55

E27 LED FILAMENT 8W
K26.157.S20.M1R

E27
K26.157.S20.E27



690

2500


Ø 245

RICU BISSO/SALEM 3L

IP55

E27 LED FILAMENT 8W
K26.157.S30.M1R

E27
K26.157.S30.E27



640

2500

Ø 245



MEDIUM SIZE

SALEM RANGE

"METAL POST COVERED BY RESIN"

STEEL

RESIN

EXPANSE

fumaTech®
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION

UV-RAYS STABILIZED

NO MAINTENANCE

DOUBLE INSULATION


NOT AFFECTED BY CHEMICAL FERTILIZERS

ALOE'.R/SALEM (resin)

IP55

E27 LED FILAMENT 8W
K26.163.M1R

E27
K26.163.E27



1500

Ø 190

ARTU'/SALEM

IP55

E27 LED FILAMENT 8W
K26.158.M1R

E27
K26.158.E27



1920


Ø 245

GIGI/SALEM

IP55

E27 LED FILAMENT 8W
K26.156.M1R

E27
K26.156.E27



260

2130

Ø 245

RICU/SALEM

IP55

E27 LED FILAMENT 8W
K26.157.M1R

E27
K26.157.E27



260

2450

Ø 245

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



GOLIA RANGE

MEDIUM SIZE



MADE IN ITALY



Q23.131.M1R

NEW FILAMENT LED

INDOOR & OUTDOOR USE

TEMPERATURE: +80°C / -30°C
HUMIDITY: 90%

6W (800 lm)
8W (1000 lm)
12W (1500 lm)

More details at page 58



MEDIUM SIZE

GOLIA RANGE

AVAILABLE COLORS

RESIN BODY



DIFFUSER



BLACK (A)

WHITE (W)

CLEAR (X)

OPAL (Y)

E27 LED FILAMENT VERSION



NEW
8W
1000lm
2700K
100-240V
= 75W INCANDESCENT
CRI 80

E27 VERSION



BISSO/GOLIA

IP55




E27 LED FILAMENT 8W

Q23.131.M1R

E27

Q23.131.E27



Master box: 12pcs

MINILOT/GOLIA


E27 LED FILAMENT 8W

Q23.111.M1R

E27

Q23.111.E27

IP55



Master box: 12pcs

SICHEM/GOLIA


E27 LED FILAMENT 8W

Q23.120.M1R

E27

Q23.120.E27

IP55



Master box: 12pcs

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



GOLIA RANGE

MEDIUM SIZE



AVAILABLE COLORS

RESIN BODY	DIFFUSER
 BLACK (A)	 WHITE (W)
 CLEAR (X)	 OPAL (Y)

E27 LED FILAMENT VERSION

NEW

8W

1000lm

2700K

100-240V

CRI 80

≈ 75W INCANDESCENT

ENERGIA

A+

E27 VERSION




MIZAR/GOLIA (resin)

IP55

E27 LED FILAMENT 8W
Q23.151.M1R

E27
Q23.151.E27




230
1100
Ø 50
Ø 150

RICU BISSE/GOLIA 2L

IP55

E27 LED FILAMENT 8W
Q23.157.S20.M1R

E27
Q23.157.S20.E27




820
2430
2
Ø 245

RICU BISSE/GOLIA 3L

IP55

E27 LED FILAMENT 8W
Q23.157.S30.M1R

E27
Q23.157.S30.E27



770
2430
3
Ø 245




MEDIUM SIZE

GOLIA RANGE

"METAL POST COVERED BY RESIN"

fumaTech
FUMAGALLI POLES TECHNOLOGY

STEEL
RESIN
EXPANSE



ANTI RUST LIFETIME GUARANTEE
NO PAINTING REQUIRED
MADE IN ITALY

ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZERS




ALOE'R/GOLIA (resin)

IP55

E27 LED FILAMENT 8W
Q23.163.M1R

E27
Q23.163.E27



230
1450
Ø 190

ARTU'/GOLIA

IP55

E27 LED FILAMENT 8W
Q23.158.M1R

E27
Q23.158.E27



1830
Ø 245

GIGI/GOLIA

IP55

E27 LED FILAMENT 8W
Q23.156.M1R

E27
Q23.156.E27




230
2110
Ø 245

RICU/GOLIA

IP55

E27 LED FILAMENT 8W
Q23.157.M1R

E27
Q23.157.E27



230
2380
Ø 245

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



CEFA RANGE

MEDIUM SIZE



MADE IN ITALY



U23.120.M1R

NEW FILAMENT LED

INDOOR & OUTDOOR USE

+80°C
-30°C

90% HUMIDITY

6W (800 lm)
8W (1000 lm)
12W (1500 lm)

More details at page 58



MEDIUM SIZE

CEFA RANGE

AVAILABLE COLORS

RESIN BODY



BLACK (A)



WHITE (W)

DIFFUSER



CLEAR (X)



OPAL (Y)



E27 LED FILAMENT VERSION



NEW
8W
1000lm
2700K
100-240V
= 75W INCANDESCENT
CRI 80

E27 VERSION



BISSO/CEFA


IP55



E27 LED
FILAMENT 8W
U23.131.M1R

E27

U23.131.E27



Master box: 12pcs


MINILOT/CEFA

E27 LED
FILAMENT 8W
U23.111.M1R

E27

U23.111.E27

IP55



Master box: 12pcs


SICHEM/CEFA

E27 LED
FILAMENT 8W
U23.120.M1R

E27

U23.120.E27

IP55



Master box: 12pcs

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



CEFA RANGE

MEDIUM SIZE



AVAILABLE COLORS

RESIN BODY	DIFFUSER
 BLACK [A]	 WHITE [W]
 CLEAR [X]	 OPAL [Y]

E27 LED FILAMENT VERSION

NEW

8W

1000lm

2700K

100-240V

≈ 75W INCANDESCENT

CRI 80

ENERGIA

A+

E27 VERSION




MIZAR/CEFA (resin)

E27 LED FILAMENT 8W
U23.151.M1R

E27
U23.151.E27

NEW VERSION




230
1110
Ø 50
Ø 150

RICU BISSO/CEFA 2L

E27 LED FILAMENT 8W
U23.157.S20.M1R

E27
U23.157.S20.E27

NEW VERSION




820
2450
Ø 245

RICU BISSO/CEFA 3L

E27 LED FILAMENT 8W
U23.157.S30.M1R

E27
U23.157.S30.E27

NEW VERSION



770
2450
Ø 245



MEDIUM SIZE

CEFA RANGE

"METAL POST COVERED BY RESIN"

fumaTech
FUMAGALLI POLES TECHNOLOGY

STEEL
RESIN
EXPANSE

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED

MADE IN ITALY


ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZERS

ALOE'.R/CEFA (resin)

E27 LED FILAMENT 8W
U23.163.M1R

E27
U23.163.E27

NEW VERSION



230
1470
Ø 190

ARTU'/CEFA

E27 LED FILAMENT 8W
U23.158.M1R

E27
U23.158.E27

NEW VERSION



1865
Ø 245

GIGI/CEFA

E27 LED FILAMENT 8W
U23.156.M1R

E27
U23.156.E27

NEW VERSION



230
2110
Ø 245

RICU/CEFA

E27 LED FILAMENT 8W
U23.157.M1R

E27
U23.157.E27

NEW VERSION



2450
Ø 245

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



GLOBE 300 RANGE

MEDIUM SIZE



MADE IN ITALY



NEW FILAMENT LED
INDOOR & OUTDOOR USE
+80°C
-30°C
90% HUMIDITY
6W (800 lm)
8W (1000 lm)
12W (1500 lm)
More details at page 58



MEDIUM SIZE GLOBE 300 RANGE

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



AVAILABLE COLORS				
RESIN BODY		DIFFUSER		
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)	SMOKED (Z)

E27 LED FILAMENT VERSION	
	NEW
8W	1000lm
	2700K
	100-240V
	≈ 75W INCANDESCENT
	CRI 80

E27 VERSION

BISSO/G300

E27 LED FILAMENT 8W
G30.131.M1R

E27
G30.131.E27

box: **4pcs**

MINILOT/G300

E27 LED FILAMENT 8W
G30.111.M1R

E27
G30.111.E27

box: **4pcs**

SICHEM/G300

E27 LED FILAMENT 8W
G30.120.M1R

E27
G30.120.E27

box: **4pcs**

GLOBE 300 RANGE MEDIUM SIZE



AVAILABLE COLORS

RESIN BODY	DIFFUSER
BLACK (A)	WHITE (W)
CLEAR (X)	OPAL (Y)
SMOKED (Z)	

E27 LED FILAMENT VERSION

NEW

8W

1000lm


2700K

100-240V

75W INCANDESCENT

CRI 80

E27 VERSION



IAFET.R/G300 (resin)

E27 LED FILAMENT 8W
G30.162.M1R

E27
G30.162.E27

box: **2pcs**

RICU BISSO/G300 2L

E27 LED FILAMENT 8W
G30.157.S20.M1R

E27
G30.157.S20.E27

box: **2pcs**

RICU BISSO/G300 3L

E27 LED FILAMENT 8W
G30.157.S30.M1R

E27
G30.157.S30.E27

box: **2pcs**



MEDIUM SIZE GLOBE 300 RANGE

"METAL POST COVERED BY RESIN"

fumaTech

FUMAGALLI POLES TECHNOLOGY

STEEL

RESIN

EXPANSE

ANTI RUST

LIFETIME GUARANTEE

NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION

UV-RAYS STABILIZED

NO MAINTENANCE

DOUBLE INSULATION

NOT AFFECTED BY CHEMICAL FERTILIZERS

ALOE'.R/G300 (resin)

E27 LED FILAMENT 8W
G30.163.M1R

E27
G30.163.E27

box: **2pcs**

ARTU'.G300

E27 LED FILAMENT 8W
G30.158.M1R

E27
G30.158.E27

box: **2pcs**

GIGI/G300

E27 LED FILAMENT 8W
G30.156.M1R

E27
G30.156.E27

box: **2pcs**

RICU/G300

E27 LED FILAMENT 8W
G30.157.M1R


E27
G30.157.E27

box: **2pcs**


SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



NOEMI RANGE

LARGE SIZE



MADE IN ITALY



E35.121.N1R

NEW FILAMENT LED

INDOOR & OUTDOOR USE

+80°C
-30°C 90% HUMIDITY

6W (800 lm)
8W (1000 lm)
12W (1500 lm)

More details at page 58



LARGE SIZE

NOEMI RANGE




OFIR/NOEMI



E27 LED FILAMENT 12W
E35.132.N1R

E27

E35.132.E27




box: 1pcs

LOT/NOEMI

E27 LED FILAMENT 12W
E35.113.N1R

E27

E35.113.E27




box: 1pcs

SICHEM/NOEMI

E27 LED FILAMENT 12W
E35.121.N1R

E27

E35.121.E27



box: 1pcs

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



NOEMI RANGE

LARGE SIZE



AVAILABLE COLORS

RESIN BODY	DIFFUSER
	
BLACK (A)	CLEAR (X)
	
WHITE (W)	OPAL (Y)

E27 LED FILAMENT VERSION

NEW

12W

1500lm

2700K

100-240V

~ 100W INCANDESCENT

CRI 80

ENERGY CLASS: A++

E27 VERSION

SUITABLE FOR MBF - HQI - SON

IAFET.R/NOEMI (resin)

IP55

E27 LED FILAMENT 12W

E35.162.N1R

E27

E35.162.E27

350

1200

Ø 190

box: 2pcs

ALOE'.R/NOEMI (resin)

IP55

E27 LED FILAMENT 12W

E35.163.N1R

E27

E35.163.E27

350

1600

Ø 190

box: 2pcs

ARTU'/NOEMI

IP55

E27 LED FILAMENT 12W

E35.158.N1R

E27

E35.158.E27

350

2000

Ø 245

box: 2pcs



LARGE SIZE

NOEMI RANGE

"METAL POST COVERED BY RESIN"

STEEL

RESIN

EXPANSE

ANTI RUST

LIFETIME GUARANTEE

NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION

UV-RAYS STABILIZED

NO MAINTENANCE

DOUBLE INSULATION

NOT AFFECTED BY CHEMICAL FERTILIZERS

GIGI/NOEMI

IP55

E27 LED FILAMENT 12W

E35.156.N1R

E27

E35.157.E27

350

2250

Ø 245

box: 2pcs

RICU/NOEMI

IP55

E27 LED FILAMENT 12W

E35.157.N1R

E27

E35.157.E27

350

2500

Ø 245

box: 2pcs

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



SILOE RANGE

LARGE SIZE



MADE IN ITALY



E35.132.N1R

NEW FILAMENT LED

INDOOR & OUTDOOR USE

+80°C
-30°C 90% HUMIDITY

6W (800 lm)
8W (1000 lm)
12W (1500 lm)

More details at page 58



LARGE SIZE

SILOE RANGE


AVAILABLE COLORS			
RESIN BODY	DIFFUSER		
			
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)


E27 LED FILAMENT VERSION	
	
12W	1500lm
2700K	100-240V
~ 100W INCANDESCENT	CRI 80

E27 VERSION

SUITABLE FOR MBF - HQI - SON

OFIR/SILOE	
	
	
box: 1pcs	

LOT/SILOE	
	
	
box: 1pcs	

SICHEM/SILOE	
	
	
box: 1pcs	

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



SILOE RANGE

LARGE SIZE



AVAILABLE COLORS

RESIN BODY	DIFFUSER
	
BLACK (A)	CLEAR (X)
	
WHITE (W)	OPAL (Y)

E27 LED FILAMENT VERSION

NEW

12W

1500lm

2700K

100-240V

CRI 80

= 100W INCANDESCENT

ENERGY CLASS: A++ A+ A B C D E F

E27 VERSION

SUITABLE FOR MBF - HQI - SON

IAFET.R/SILOE (resin)

IP55

E27 LED FILAMENT 12W
K35.162.N1R

E27
K35.162.E27

350

1200

Ø 190

box: 2pcs

ALOË'.R/SILOE (resin)

IP55

E27 LED FILAMENT 12W
K35.163.N1R

E27
K35.163.E27

350

1600

Ø 190

box: 2pcs

ARTU'.SILOE

IP55

E27 LED FILAMENT 12W
K35.158.N1R

E27
K35.158.E27

2000

Ø 245

box: 2pcs



LARGE SIZE

SILOE RANGE

"METAL POST COVERED BY RESIN"

STEEL

RESIN

EXPANSE

fumaTech

FUMAGALLI POLES TECHNOLOGY

ANTI RUST LIFETIME GUARANTEE NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION

UV-RAYS STABILIZED

NO MAINTENANCE

DOUBLE INSULATION

NOT AFFECTED BY CHEMICAL FERTILIZERS

GIGI/SILOE

IP55

E27 LED FILAMENT 12W
K35.156.N1R

E27
K35.157.E27

350

2250

Ø 245

box: 2pcs

RICU/SILOE

IP55

E27 LED FILAMENT 12W
K35.157.N1R

E27
K35.157.E27

350

2500

Ø 245

box: 2pcs

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



TOBIA RANGE

LARGE SIZE



MADE IN ITALY

NEW FILAMENT LED
INDOOR & OUTDOOR USE

+80°C
-30°C

90% HUMIDITY

6W (800 lm)
8W (1000 lm)
12W (1500 lm)

More details at page 58



AVAILABLE VERSIONS

E27

2x E27



NEW VERSION
HORIZONTAL
BULBS



Q33.113.N1R



LARGE SIZE

TOBIA RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A) WHITE (W) CLEAR (X) OPAL (Y)	CLEAR (X) OPAL (Y)

E27 LED FILAMENT VERSION	
	NEW 12W 1500lm 2700K 100-240V = 100W INCANDESCENT CRI 80

E27 VERSION	
	SUITABLE FOR MBF - HQI - SON

OFIR/TOBIA

IP55 	E27 LED FILAMENT 12W Q33.132.N1R	2xE27 LED FILAMENT 12W Q33.132.N2R
E27 Q33.132.E27	2x E27 Q33.132.E28	 390 620 NEW 2xE27 HORIZONTAL BULBS box: 1pcs

LOT/TOBIA

E27 LED FILAMENT 12W Q33.113.N1R	2xE27 LED FILAMENT 12W Q33.113.N2R
E27 Q33.113.E27	2x E27 Q33.113.E28
IP55 	 330 700 Ø 190 NEW 2xE27 HORIZONTAL BULBS box: 1pcs

SICHEM/TOBIA

E27 LED FILAMENT 12W Q33.121.N1R	2xE27 LED FILAMENT 12W Q33.121.N2R
E27 Q33.121.E27	2x E27 Q33.121.E28
IP55 	 330 1000 NEW 2xE27 HORIZONTAL BULBS box: 1pcs

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



MADE IN ITALY

TOBIA RANGE

LARGE SIZE



AVAILABLE COLORS

RESIN BODY	DIFFUSER

BLACK (A) WHITE (W) CLEAR (X) OPAL (Y)

E27 LED FILAMENT VERSION

ENERGY CLASS **A+**

NEW 12W 1500lm 2700K 100-240V CRI 80

= 100W INCANDESCENT

E27 VERSION

SUITABLE FOR MBF - HQI - SON

IAFET.R/TOBIA (resin)

IP55

E27 LED FILAMENT 12W Q33.162.N1R	2xE27 LED FILAMENT 12W Q33.162.N2R
E27 Q33.162.E27	2x E27 Q33.162.E28

NEW 2xE27 HORIZONTAL BULBS

1200

Ø 190

box: 2pcs

ALOE'.R/TOBIA (resin)

IP55

E27 LED FIL 12W Q33.163.N1R	2xE27 LED 12W Q33.163.N2R
E27 Q33.163.E27	2xE27 Q33.163.E28

NEW 2xE27 HORIZONTAL BULBS

330

1600

Ø 190

box: 2pcs

ARTU'/TOBIA

IP55

E27 LED FIL 12W Q33.158.N1R	2xE27 LED 12W Q33.158.N2R
E27 Q33.158.E27	2xE27 Q33.158.E28

NEW 2xE27 HORIZONTAL BULBS

1960

Ø 245

box: 2pcs



LARGE SIZE

TOBIA RANGE

"METAL POST COVERED BY RESIN"

STEEL

RESIN

EXPANSE

fumaTech FUMAGALLI POLES TECHNOLOGY

ANTI RUST LIFETIME GUARANTEE NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION UV-RAYS STABILIZED NO MAINTENANCE DOUBLE INSULATION NOT AFFECTED BY CHEMICAL FERTILIZERS

GIGI/TOBIA

IP55

E27 LED FIL 12W Q33.156.N1R	2xLED FIL 12W Q33.156.N2R
E27 Q33.156.E27	2xE27 Q33.156.E28

NEW 2xE27 HORIZONTAL BULBS

330

2240

Ø 245

box: 2pcs

RICU/TOBIA

IP55

E27 LED FIL 12W Q33.157.N1R	2xLED FIL 12W Q33.157.N2R
E27 Q33.157.E27	2xE27 Q33.157.E28

NEW 2xE27 HORIZONTAL BULBS

330

2500

Ø 245

box: 2pcs

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



SIMON RANGE

LARGE SIZE



MADE IN ITALY

NEW FILAMENT LED
INDOOR & OUTDOOR USE

+80°C
-30°C

90% HUMIDITY

6W (800 lm)
8W (1000 lm)
12W (1500 lm)

More details at page 58



U33.162.N1R

AVAILABLE VERSIONS

E27

2x E27

NEW VERSION
HORIZONTAL
BULBS



LARGE SIZE

SIMON RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A) WHITE (W) CLEAR (X) OPAL (Y)	CLEAR (X) OPAL (Y)

E27 LED FILAMENT VERSION	
	12W 1500lm 2700K 100-240V = 100W INCANDESCENT CRI 80

E27 VERSION	
	SUITABLE FOR MBF - HQI - SON

OFIR/SIMON



E27 LED FILAMENT 12W U33.132.N1R	2xE27 LED FILAMENT 12W U33.132.N2R
E27 U33.132.E27	2x E27 U33.132.E28

NEW 2xE27 HORIZONTAL BULBS

box: 1pcs

LOT/SIMON

E27 LED FILAMENT 12W U33.113.N1R	2xE27 LED FILAMENT 12W U33.113.N2R
E27 U33.113.E27	2x E27 U33.113.E28

NEW 2xE27 HORIZONTAL BULBS

box: 1pcs

SICHEM/SIMON

E27 LED FILAMENT 12W U33.121.N1R	2xE27 LED FILAMENT 12W U33.121.N2R
E27 U33.121.E27	2x E27 U33.121.E28

NEW 2xE27 HORIZONTAL BULBS

box: 1pcs

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



MADE IN ITALY

SIMON RANGE

LARGE SIZE



AVAILABLE COLORS

RESIN BODY	DIFFUSER

BLACK (A) WHITE (W) CLEAR (X) OPAL (Y)

E27 LED FILAMENT VERSION

NEW

12W

1500lm

2700K

100-240V

CRI 80

= 100W INCANDESCENT

E27 VERSION

SUITABLE FOR MBF - HQI - SON

IP55

IAFET.R/SIMON (resin)

E27 LED FILAMENT 12W U33.162.N1R	2xE27 LED FILAMENT 12W U33.162.N2R
E27 U33.162.E27	2x E27 U33.162.E28

NEW 2xE27 HORIZONTAL BULBS

330
1240
Ø 190

box: **2pcs**

IP55

ALOE'.R/SIMON (resin)

E27 LED FIL 12W U33.163.N1R	2xE27 LED 12W U33.163.N2R
E27 U33.163.E27	2xE27 U33.163.E28

NEW 2xE27 HORIZONTAL BULBS

330
1640
Ø 190

box: **2pcs**

IP55

ARTU'/SIMON

E27 LED FIL 12W U33.158.N1R	2xE27 LED 12W U33.158.N2R
E27 U33.158.E27	2xE27 U33.158.E28

NEW 2xE27 HORIZONTAL BULBS

2000
Ø 245

box: **2pcs**



LARGE SIZE

SIMON RANGE

"METAL POST COVERED BY RESIN"

STEEL
RESIN
EXPANSE

fumaTech
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION

UV-RAYS STABILIZED

NO MAINTENANCE

DOUBLE INSULATION

NOT AFFECTED BY CHEMICAL FERTILIZERS

IP55

GIGI/SIMON

E27 LED FIL 12W U33.156.N1R	2xE27 LED 12W U33.156.N2R
E27 U33.156.E27	2xE27 U33.156.E28

NEW 2xE27 HORIZONTAL BULBS

330
2300
Ø 245

box: **2pcs**

IP55

RICU/SIMON

E27 LED FIL 12W U33.157.N1R	2xE27 LED 12W U33.157.N2R
E27 U33.157.E27	2xE27 U33.157.E28

NEW 2xE27 HORIZONTAL BULBS

330
2550
Ø 245

box: **2pcs**

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



HALF LANTERN



MADE IN ITALY

M22.000.F1R



NEW FILAMENT LED
INDOOR & OUTDOOR
USE

+80°C
-30°C 90% HUMIDITY

6W (800 lm)
8W (1000 lm)
12W (1500 lm)

More details at page 58



HALF LANTERNS

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A)	WHITE (W)
CLEAR (X)	OPAL (Y)

E27 LED FILAMENT VERSION	
6W	12W
800lm	1200lm
2700K	2700K
100-240V	100-240V
≈ 60W	≈ 100W
(INCANDESCENT)	(INCANDESCENT)



IP55

IESSE

E27 LED FILAMENT 6W
M22.000.F1R

E27
M22.000.E27

220
350
130

110
Ø25
230
350

Master box: 16pcs

IP55

DARIA

E27 LED FILAMENT 12W
M28.000.N1R

E27
M28.000.E27

515
169
143
210
Ø22
300

E27 SUITABLE FOR
MBF - HQI - SON

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



SAURO


CLASSIC BOLLARD



MADE IN ITALY

D15.554.D1LCRB

E27 VERSION



*To order the aluminium chrome cone version use the CMS (instead of CRB) suffix at the end of the code.



SAURO

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A) GREY (L) WHITE (W)	CLEAR (X) OPAL (Y)



LED

LAMP INCLUDED: GX53 LED

SAURO 1100

E27

7W	4000K	D15.555.C1LCRB
	3000K	D15.555.C1RCRB
10W	4000K	D15.555.D1LCRB
	3000K	D15.555.D1RCRB
E27		D15.555.E27

150

1100

Ø245

150

1100

Ø245

with white resin louvre

FRA

with aluminium chrome louvre

FC1

LED

LAMP INCLUDED: GX53 LED

SAURO 800

E27

7W	4000K	D15.554.C1LCRB
	3000K	D15.554.C1RCRB
10W	4000K	D15.554.D1LCRB
	3000K	D15.554.D1RCRB
E27		D15.554.E27

150

800

Ø245

150

800

Ø245

with white resin louvre


FRA

with aluminium chrome louvre

FC1

MADE IN ITALY

BOLLARD LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CLOUR TEMPERATURE	
	7W	800Lm	100-240V 50/60 Hz	4000K 3000K	 75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT



LED



LAMP INCLUDED: GX53 LED

SAURO 500

E27

7W	4000K	D15.553.C1LCRB
3000K		D15.553.C1RCRB
10W	4000K	D15.553.D1LCRB
3000K		D15.553.D1RCRB
E27		D15.553.E27





with white resin louvre

FRA

with aluminium chrome louvre

FCI

LED



LAMP INCLUDED: GX53 LED

MIRELLA

E27

7W	4000K	D15.505.C1LCRB
3000K		D15.505.C1RCRB
10W	4000K	D15.505.D1LCRB
3000K		D15.505.D1RCRB
E27		D15.505.E27





with white resin louvre

FRA



with aluminium chrome louvre

FCI

TÜV CERTIFIED LED MODULES

Benefits:

- **COST SAVING:** long-life and efficient LED light sources.
- **BUILT-IN DRIVER:** quick and easy lamp replacement.
- **GREAT FLEXIBILITY:** standard lamp holder.
- **FUTURE-PROOFED LUMINAIRES:** performances easy to upgrade to latest technology developments.
- **SUITABLE FOR OUTDOOR USE:** driver fully protected against heat and humidity by silicone paste.
- **TÜV CERTIFIED QUALITY:** Production monitored, CE marked, LVD and EMC test, in compliance with the Ecodesign Directive (ERP).







CE

LVD tested

EMC tested

TUV SUD

ERP 6000h

GU10 LED			
POWER	4,5 W		
LUMINOUS FLUX	300 lm		
VOLTAGE	100-240 V		
FREQUENCY	50/60 Hz		
CURRENT	100 mA		
COLOR RENDERING INDEX RA	> 80		
BEAM ANGLE	38°		
WARM UP TIME	≤ 0,5"		
SWITCHING CYCLE	> 15.000		
LIFETIME	25.000 h		
KELVIN	4000 K	3000 K	
REF. CODE	H.LED.GU10	H.LED.GU10.3K	
COMPARISON	4,5W = 35W 300 lm halogen SAVE 85%		

SILICONE PROTECTION DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY

VOLTAGE SURGE RESISTANT

Ø50



60

GU10



CE

LVD tested

EMC tested

TUV SUD

ERP 6000h

GX53 LED Ø75			
POWER	3 W		
LUMINOUS FLUX	350 lm		
EFFICIENCY	116 Lm/W		
VOLTAGE	100-240 V		
FREQUENCY	50/60 Hz		
CURRENT	45 mA		
COLOR RENDERING INDEX RA	> 80		
BEAM ANGLE	105°		
WARM UP TIME	≤ 0,5"		
SWITCHING CYCLE	> 15.000		
LIFETIME	25.000 h		
KELVIN	4000 K	3000 K	
REF. CODE	H.LED.G53	H.LED.G53.3K	
COMPARISON	3W = 40W 350 lm incandescent SAVE 93%		

INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY

VOLTAGE SURGE RESISTANT

Ø75



26

GX53





CE

LVD tested

EMC tested

TUV SUD

ERP 6000h

GX53 Ø100				
POWER	7 W		10 W	
LUMINOUS FLUX	800 lm		1200 lm	
EFFICIENCY	114 Lm/W		120 Lm/W	
VOLTAGE	100-240 V		100-240 V	
FREQUENCY	50/60 Hz		50/60 Hz	
CURRENT	95 mA		130 mA	
POWER FACTOR	0,9		0,9	
COLOR RENDERING INDEX RA	> 80		> 80	
BEAM ANGLE	105°		105°	
WARM UP TIME	≤ 0,5"		≤ 0,5"	
SWITCHING CYCLE	> 15.000		> 15.000	
LIFETIME	25.000 h		25.000 h	
KELVIN	4000 K	3000 K	4000 K	3000 K
REF. CODE	H2.LED.G53	H2.LED.G53.3K	H3.LED.G53	H3.LED.G53.3K
COMPARISON	7W = 75W 800 lm incandescent SAVE 89%		10W = 100W 1200 lm incandescent SAVE 88%	

SILICONE PROTECTION DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY

VOLTAGE SURGE RESISTANT

Ø100



37

GX53



CE

LVD tested

EMC tested

TUV SUD

ERP 6000h

GX53 Ø180				
POWER	11 W		18 W NEW	
LUMINOUS FLUX	1300 lm		2000 lm	
EFFICIENCY	118 Lm/W		111 Lm/W	
VOLTAGE	100-240 V		100-240 V	
FREQUENCY	50/60 Hz		50/60 Hz	
CURRENT	150 mA		200 mA	
POWER FACTOR	0,9		0,9	
COLOR RENDERING INDEX RA	> 80		> 80	
BEAM ANGLE	90°		90°	
WARM UP TIME	≤ 0,5"		≤ 0,5"	
SWITCHING CYCLE	> 15.000		> 15.000	
LIFETIME	25.000 h		25.000 h	
KELVIN	4000 K	3000 K	4000 K	3000 K
REF. CODE	H4.LED.G53	H4.LED.G53.3K	H5.LED.G53.4K	H5.LED.G53.3K
COMPARISON	11W = 100W 1300 lm incandescent SAVE 89%		18W = 150W 2000 lm incandescent SAVE 88%	


SILICONE PROTECTION DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY

VOLTAGE SURGE RESISTANT

Ø180



33

GX53

E27 LED FILAMENT A60



CE LVD tested
EMC tested
TUV SUD ERP 6000h

	6 W	8 W NEW
POWER	6 W	8 W
LUMINOUS FLUX	800 lm	1000 lm
EFFICIENCY	133 Lm/W	125 Lm/W
VOLTAGE	100-240 V	100-240 V
FREQUENCY	50/60 Hz	50/60 Hz
CURRENT	60 mA	76 mA
POWER FACTOR	> 0,7	> 0,7
COLOR RENDERING INDEX RA	> 80	> 80
BEAM ANGLE	360°	360°
WARM UP TIME	≤ 0,5"	≤ 0,5"
SWITCHING CYCLE	> 15.000	> 15.000
LIFETIME	25.000 h	25.000 h
KELVIN	2700 K	2700 K
REF. CODE	H.LED.FIL.3K	H2.LED.FIL.3K
COMPARISON	6W 800 lm = 60W incandescent SAVE 90%	8W 1000 lm = 75W incandescent SAVE 89%


SILICONE PROTECTION

DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY

VOLTAGE SURGE RESISTANT



E27

E27 LED FILAMENT A70



CE LVD tested
EMC tested
TUV SUD ERP 6000h

	12 W NEW
POWER	12 W
LUMINOUS FLUX	1500 lm
EFFICIENCY	125 Lm/W
VOLTAGE	100-240 V
FREQUENCY	50/60 Hz
CURRENT	100 mA
POWER FACTOR	> 0,7
COLOR RENDERING INDEX RA	> 80
BEAM ANGLE	360°
WARM UP TIME	≤ 0,5"
SWITCHING CYCLE	> 15.000
LIFETIME	25.000 h
KELVIN	2700 K
REF. CODE	H3.LED.FIL.3K
COMPARISON	12W 1500 lm = 100W incandescent SAVE 88%


SILICONE PROTECTION

DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY

VOLTAGE SURGE RESISTANT



E27

SILICONE PROTECTION

DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY

VOLTAGE SURGE RESISTANT

GOLD WIRE BONDING

- Chips connected by pure gold wire to resist at higher temperature.

CHIP ON CORD TECHNOLOGY

- Epistar led chip bonded on pure synthetic **sapphire** substrate.
- Better shock resistance.
- High transparency and better lumen output in comparison with glass or ceramic substrate.
- Thermal expansion ratio similar as led chip.

PHOSPHOR DISPENSING

- Filament covered by Intermax phosphor.
- Phosphor dispensed on both side of filament allowing a better light reflection.

SAPPHIRE CHIP SUPPORT

GLASS BULB

- 90% hydrogen gas inside, in order to help the heat dissipation making the lamp suitable for outdoor use.
- Filament welded and inserted into the glass by automatic process instead of by hand, to get a much more precise result.

DRIVER 100-240V

- Wide voltage range: 100-240V ±10% tolerance.
- Double 400V capacitors and multiple resistances to withstand the electricity peak.
- Driver fully protected by special silicone paste with metal powder inside, helping the heat dissipation and protecting all the electronic components against humidity for outdoor lamp use.



LOOKING FOR A MODERN DESIGN PRODUCT?

See our **Top selection 2016** dedicated to our **modern range!**



TO SEE OUR COMPLETE COLLECTION

Ask for our **NEW General Catalogue 2017**
or visit our website at
www.fumagalli.it



117
DISTRIBUTORS
ALL OVER THE WORLD

MADE IN ITALY

RESIN MATERIAL ADVANTAGES



NO MAINTENANCE



ANTI-CORROSION



DOUBLE INSULATION



NOT AFFECTED BY
CHEMICAL FERTILIZERS



UV-RAY STABILIZED



RECYCLABLE



UV TREATED



DOUBLE
INSULATION



ANTI-SHOCK



TEMPERATURE



ENERGY SAVING



RESIDENTIAL



PUBLIC

HOW TO READ THE CODE

DIFFUSER
IDENTIFIES THE DIFFUSER

E22

STRUCTURE
IDENTIFIES THE STRUCTURE ON WHICH THE DIFFUSER IS MOUNTED (POLE, BRACKET, BASE, SPIKE)

156

SYSTEM
IDENTIFIES THE MULTI-LIGHT SYSTEM IF PRESENT

S20

COLOUR OF THE STRUCTURE
IDENTIFIES THE COLOUR OF THE STRUCTURE

A BLACK
W WHITE
L GREY
V ANTIQUE GREEN*
B ANTIQUE BRONZE*

A

COLOUR OF THE DIFFUSER
IDENTIFIES THE COLOUR OF THE DIFFUSER

X CLEAR
Y OPAL
Z SMOKED

X

ELECTRIFICATION
IDENTIFIES THE TYPE OF ELECTRIFICATION AND THE EVENTUAL PRESENCE OF BULBS

F1R



Fumagalli S.r.l.
Via Ca' Bassa, 29
21100 Varese - ITALY
Tel. +39.0332.336353
Fax. +39.0332.336358
E-mail italian.lux@fumagalli.it



www.fumagalli.it

