



MASTER GLASS LED candles and lusters



MAS LEDLusterDT3.5-40W E27 927 P45CL G

Featuring a classic heritage design, Classic filament LED Lamps combine the familiar shapes of incandescent candles and lusters with the benefits of the long-lasting LED technology. It is an idea product to provide customers with cozy atmosphere. The MASTER LED candles and lusters can be dimmed for different lumen level and also for the different color temperature. MASTER Glass Led Bulbs deliver significant energy savings, offering even 30% more compared to normal LED and provides excellent quality of light. By offering a lifetime of 25,000 hours it reduces maintenance costs.

Product data

General information	·
Cap-Base	E27 [E27]
CE mark	Yes
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	25000 h
Switching Cycle	20000X
Flux measurement reference	Sphere
Tier	MASTER
Light technical	
Color Code	922-927 [CCT of 2200K-2700K]
Luminous Flux (Nom)	470 lm
Color Designation	Warm Glow(WG)
Correlated Color Temperature (Nom)	2200 2700 K
Luminous Efficacy (rated) (Nom)	138 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	90

LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	3.4 W
Lamp Current (Nom)	24 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.6
Voltage (Nom)	220-240 V
Temperature	
T-Ambient (Max)	45 °C
T-Ambient (Min)	-20 ℃
T-Case Maximum (Nom)	70 °C


Datasheet, 2023, March 25 data subject to change

MASTER GLASS LED candles and lusters

Controls and dimming	
Dimmable	Only with specific dimmers
Mechanical and housing	
Bulb Finish	Clear
Bulb Material	Glass
Bulb Shape	P45 [P 45mm]
Approval and application	
Energy Efficiency Class	D
Energy Consumption kWh/1000 h	4 kWh
EPREL Registration Number	1109145
Application conditions	
Ambient temperature range	-20 °C to 45 °C

Product data	
Full product code	871951444953400
Order product name	MAS LEDLusterDT3.5-40W E27 927 P45CL G
EAN/UPC - Product	8719514449534
Order code	929003013282
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929003013282
Net Weight (Piece)	0.014 kg


Dimensional drawing




MAS LEDLusterDT3.5-40W E27 927 P45CL G



Photometric data




Spectral Power Distribution Colour



Light Distribution Diagram

MASTER GLASS LED candles and lusters


Photometric data




Calculus Photographics 4.5 Philips Lighting SLV. Page: 17

General uniform lighting

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.