

ToLEDo Candle

TOLEDO CANDLE V3 FR 470LM 865 E14 SL

0026973



Range Features

-

PRODUCT OVERVIEW

Lamp finish	Frosted
Lamp shape	Candle
Colour temperature (K)	6500
CRI (Ra)	80
Dimmable	No
EAN code	5410288269733
Energy class	A+
Equivalent watt (W)	40
Cap/Base	E14
Type	ToLEDo Candle
Watt (Nominal) (W)	5.5
Light colour	Daylight
Ordering number	0026973
Efficacy (Rated) (lm/w)	85.45
Average life (Rated) (h)	0
Luminous flux (Rated) (lm)	470
Technology	LED
Voltage (V)	220-240
Colour consistency (SDCM)	6

DATA TABLE

General data

Average life (Nominal) (h)	15000
Control gear required	No
Lamp finish	Frosted
Lamp shape	Candle
Dimmable	No
Dry applications use only	Yes
EAN code	5410288269733
Energy class	A+

ToLEDo Candle

TOLEDO CANDLE V3 FR 470LM 865 E14 SL

0026973

Energy saving lamp	Yes
General application	Hospitality; Residential & Consumer
Intended purpose	No
Cap/Base	E14
Lamp mercury content (mg)	0
Type	ToLEDo Candle
No. of switching cycles before premature failure (min)	50000
Optimal operating condition (°C)	25
Ordering number	0026973
Product name	TOLEDO CANDLE V3 FR 470LM 865 E14 SL
Average life (Rated) (h)	0
Special purpose lamp	No
Starting time (max) (s)	0.05
Technology	LED
Transformer required	No
Warm-up time to 60% of full light (max) (s)	< 1s => 60%

Optical data

Colour temperature (K)	6500
CRI (Ra)	80
Light colour	Daylight
Lumen maintenance at end of nominal life (%)	70
Luminous flux (Nominal) (lm)	470
Luminous flux (Rated) (lm)	470
Suitable for accent lighting	No
Adjustable chromaticity	No
Colour consistency (SDCM)	6

Electrical data

Drive current (mA)	51
Equivalent watt (W)	40
kWh per 1000 hours burning time	6
Lamp power factor	0.5
Watt (Nominal) (W)	5.5
Efficacy (Rated) (lm/w)	85.45
Watt (Rated) (W)	5.5
Voltage (V)	220-240

Physical data

Max. Lamp Diameter (mm) - D	38
------------------------------------	----

ToLEDo Candle

TOLEDO CANDLE V3 FR 470LM 865 E14 SL

0026973

Lamp Length (mm) - C/L	110
Lamp dimension equal to filament lamp equivalent	Yes

TECHNICAL DRAWINGS

