

TOLEDO BALL

TOLEDO BALL V3 FR 470LM 865 E14 SL

0026976



Product features

-

PRODUCT OVERVIEW

Lamp finish	Frosted
Lamp shape	BALL
Colour temperature (K)	6500
CRI (Ra)	80
Dimmable	No
EAN code	5410288269764
Energy class	A+
Equivalent watt (W)	40
Cap/Base	E14
Type	TOLEDO BALL
Watt (Nominal) (W)	5.5
Light colour	Daylight
Ordering number	0026976
Efficacy (Rated) (lm/w)	85.4545454545455
Average life (h) - L70/B50	15000
Luminous flux (Rated) (lm)	470
Technology	LED
Voltage (V)	220-240
Colour consistency (SDCM)	6

DATA TABLE

General data

Average life (h) at Ta 25° C	15000
Control gear required	No
Lamp finish	Frosted
Lamp shape	BALL
Dimmable	No
Dry applications use only	Yes
EAN code	5410288269764
Energy class	A+

TOLEDO BALL

TOLEDO BALL V3 FR 470LM 865 E14 SL

0026976

Energy saving lamp	Yes
General application	Hospitality; Residential & Consumer
Intended purpose	No
Cap/Base	E14
Lamp mercury content (mg)	0
Type	TOLEDO BALL
No. of switching cycles before premature failure (min)	50000
Optimal operating condition (°C)	25
Ordering number	0026976
Product name	TOLEDO BALL V3 FR 470LM 865 E14 SL
Average life (h) - L70/B50	15000
Special purpose lamp	No
Starting time (max) (s)	0.05
Technology	LED
Transformer required	No
Warm-up time to 60% of full light (max) (s)	< 1s => 60%

Optical data

Colour temperature (K)	6500
CRI (Ra)	80
Light colour	Daylight
Lumen maintenance at end of nominal life (%)	70
Luminous flux (Nominal) (lm)	470
Luminous flux (Rated) (lm)	470
Suitable for accent lighting	No
Colour consistency (SDCM)	6

Electrical data

Drive current (mA)	47
Equivalent watt (W)	40
kWh per 1000 hours burning time	6
Lamp power factor	0.5
Watt (Nominal) (W)	5.5
Efficacy (Rated) (lm/w)	85.45454545454545
Watt (Rated) (W)	5.5
Voltage (V)	220-240

Physical data

Max. Lamp Diameter (mm) - D	45
Lamp Length (mm) - C/L	78

TOLEDO BALL

TOLEDO BALL V3 FR 470LM 865 E14 SL

0026976

Lamp dimension equal to filament lamp equivalent	Yes
Adjustable chromaticity	No

TECHNICAL DRAWINGS

