

ToLEDo GLS

ToLEDo GLS V4 A67 1921LM 827 E27 SL

0027904



Product features

- Compact and elegant design *f*•1921lm - suitable for replacing 121W incandescent GLS lamp. *ff*•85% energy saving compared to incandescent lamp. •*ff*Instant light at the flick of a switch *ff*•Uniform light distribution *ff*•Colour temperatures - 2700K *ff*•Good colour rendering (CRI 80) *ff*•Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas *ff*•Lower maintenance costs •A+ energy rating - 107 lm/W

PRODUCT OVERVIEW

Average life (Nominal) (h)	15000
Colour temperature (K)	2700
CRI (Ra)	80
Product EAN number	5410288279046
Fixture rating	Open
General application	Hospitality, Education, Residential & Consumer,
Product code	0027904
Wattage (W)	18
Light colour	827 Homelight
Luminous flux (lm)	1921
Product name	ToLEDo GLS V4 A67 1921LM 827 E27 SL
Watt (Rated) (W)	18
Technology	LED
Product Voltage (V)	230
ETIM Class	EC001959

DATA TABLE

General data

Fixture rating	Open
General application	Hospitality, Education, Residential & Consumer,
Product code	0027904
Product name	ToLEDo GLS V4 A67 1921LM 827 E27 SL
Watt (Rated) (W)	18
Technology	LED
ETIM Class	EC001959

Optical data

Colour temperature (K)	2700
CRI (Ra)	80

ToLEDo GLS

ToLEDo GLS V4 A67 1921LM 827 E27 SL

0027904

Light colour	827 Homelight
Luminous flux (lm)	1921
Luminous flux (Rated) (lm)	1921
Beam angle (Rated) (°)	230

Electrical data

kWh per 1000 hours burning time	18
Lamp power factor	0.5
Wattage (W)	18
Mains voltage (V)	220-240V~
Starting time (max) (s)	0.5
Product Voltage (V)	230
Warm-up time to 60% of full light (max) (s)	1
Lamp Energy Label (class)	A+
No. Of switching cycles before premature failures	50000

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Length (mm)	143
Weight (kg)	0.161
Nominal Product Diameter (mm)	67

Packaging

Product EAN number	5410288279046
Packaging single height (cm)	15.3
Packaging single length (cm)	6.9
Single packaging type	Carton
Packaging single width (cm)	6.9
Units per inner package	6
Units per outer package	60
Packaging inner length (cm)	16.3
Packaging inner width (cm)	14.7
Packaging inner height (cm)	21.8
DUN14 (outer)	15410288279043
DUN14 (inner)	25410288279040
Packaging outer height (cm)	35.0
Packaging outer length (cm)	77.5
Packaging outer width (cm)	23.5

ToLEDo GLS

ToLEDo GLS V4 A67 1921LM 827 E27 SL

0027904

Safety data

Breakage cleaning instructions	Not applicable
Dry applications use only	Yes
Suitable for household illumination	No
Special purpose lamp	No
Safety message	2

