

## ToLEDo GLS

ToLEDo GLS V4 A67 2000LM 865 E27 SL

0027906



### Product features

- Compact and elegant design *f*•2000lm - suitable for replacing 126W incandescent GLS lamp. *ff*•85% energy saving compared to incandescent lamp. *•ff*Instant light at the flick of a switch *ff*•Uniform light distribution *ff*•Colour temperatures - 6500K *ff*•Good colour rendering (CRI 80) *ff*•Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas *ff*•Lower maintenance costs *•A+* energy rating - 111 lm/W

## PRODUCT OVERVIEW

Average life (Nominal) (h)	15000
Colour temperature (K)	6500
CRI (Ra)	80
Product EAN number	5410288279060
Fixture rating	Open
General application	Hospitality, Education, Residential & Consumer,
Product code	0027906
Wattage (W)	18
Light colour	865 Daylight
Luminous flux (lm)	2000
Product name	ToLEDo GLS V4 A67 2000LM 865 E27 SL
Watt (Rated) (W)	18
Technology	LED
Product Voltage (V)	230
ETIM Class	EC001959

## DATA TABLE

### General data

Fixture rating	Open
General application	Hospitality, Education, Residential & Consumer,
Product code	0027906
Product name	ToLEDo GLS V4 A67 2000LM 865 E27 SL
Watt (Rated) (W)	18
Technology	LED
ETIM Class	EC001959

### Optical data

Colour temperature (K)	6500
CRI (Ra)	80

## ToLEDo GLS

ToLEDo GLS V4 A67 2000LM 865 E27 SL

**0027906**

<b>Light colour</b>	865 Daylight
<b>Luminous flux (lm)</b>	2000
<b>Luminous flux (Rated) (lm)</b>	2000
<b>Beam angle (Rated) (°)</b>	230

### Electrical data

<b>kWh per 1000 hours burning time</b>	18
<b>Lamp power factor</b>	0.5
<b>Wattage (W)</b>	18
<b>Mains voltage (V)</b>	220-240V~
<b>Starting time (max) (s)</b>	0.5
<b>Product Voltage (V)</b>	230
<b>Warm-up time to 60% of full light (max) (s)</b>	1
<b>Lamp Energy Label (class)</b>	A+
<b>No. Of switching cycles before premature failures</b>	50000

### Lifetime data

<b>Average life (Nominal) (h)</b>	15000
<b>Average life (Rated) (h)</b>	15000

### Physical data

<b>Nominal Product Length (mm)</b>	143
<b>Weight (kg)</b>	0.161
<b>Nominal Product Diameter (mm)</b>	67

### Packaging

<b>Product EAN number</b>	5410288279060
<b>Packaging single height (cm)</b>	15.3
<b>Packaging single length (cm)</b>	6.9
<b>Single packaging type</b>	Carton
<b>Packaging single width (cm)</b>	6.9
<b>Units per inner package</b>	6
<b>Units per outer package</b>	60
<b>Packaging inner length (cm)</b>	16.3
<b>Packaging inner width (cm)</b>	14.7
<b>Packaging inner height (cm)</b>	21.8
<b>DUN14 (outer)</b>	15410288279067
<b>DUN14 (inner)</b>	25410288279064
<b>Packaging outer height (cm)</b>	35.0
<b>Packaging outer length (cm)</b>	77.5
<b>Packaging outer width (cm)</b>	23.5

## ToLEDo GLS

ToLEDo GLS V4 A67 2000LM 865 E27 SL

**0027906**

### Safety data

Breakage cleaning instructions	Not applicable
Dry applications use only	Yes
Suitable for household illumination	No
Special purpose lamp	No
Safety message	2

