

ToLEDo Vintage G200 BLACK DIMMABLE

TOLEDO™ VINTAGE G200 BL DIM 105LM 820 E27 SL
0029946



Product features

- New and innovative Flexible Filament Chip Technology (FFCT) designed to create the low-lit vintage effect.
- Ideal for hotels, restaurants, heritage lighting, bars and decorative applications.
- Low glare - suitable for low height installation.
- 2000K colour temperature, to create a cosy ambience.
- Black tinted glass envelope.
- 15,000 hours average rated life - last 7.5 times longer than incandescent vintage lamps.
- Unique filament construction design - 'Spiral' shape.
- Omni-directional light distribution - 300°.
- Low-lumen output to create low-lit effect - 105lm.
- More than 100,000X switching cycles.
- 3 years warranty.
- Environment friendly - no mercury and lower CO2 emissions.
- Dimmable on approved dimmers.



PRODUCT OVERVIEW

IPC Code	0029946
Product name	TOLEDO™ VINTAGE G200 BL DIM 105LM 820 E27 SL
Technology	LED
Watt (Rated) (W)	5.5
Cap/Base	E27
Fixture rating	Open
General application	Hospitality
Certifications	EUTIE103
ETIM Class	EC001959
Luminous flux (lm)	105
Colour temperature (K)	2000
Light colour	Candlelight
CRI (Ra)	80
Wattage (W)	5.5
Product Voltage (V)	230
Average life (Nominal) (h)	15000
Product EAN number	5410288299464

DATA TABLE

General data

IPC Code	0029946
Product name	TOLEDO™ VINTAGE G200 BL DIM 105LM 820 E27 SL
Technology	LED
Watt (Rated) (W)	5.5
Cap/Base	E27
Fixture rating	Open
General application	Hospitality
Operating Temperature Range (°C)	25
Certifications	EUTIE103
ETIM Class	EC001959

Optical data

ToLEDo Vintage G200 BLACK DIMMABLE

TOLEDO™ VINTAGE G200 BL DIM 105LM 820 E27 SL

0029946

Luminous flux (lm)	105
Luminous flux (Rated) (lm)	105
Colour temperature (K)	2000
Light colour	Candlelight
CRI (Ra)	80
Beam angle (Rated) (°)	360

Electrical data

Wattage (W)	5.5
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	1
Product Voltage (V)	230
Lamp power factor	0.9
No. Of switching cycles before premature failures	100000
Lamp Energy Label (class)	B
kWh per 1000 hours burning time	6
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Length (mm)	283
Nominal Product Diameter (mm)	200
Weight (kg)	0.3

Packaging

Single packaging type	Carton
Product EAN number	5410288299464
Packaging single length / height (cm)	31.8
Packaging single width (cm)	22.3
Packaging single depth (cm)	22.3
DUN14 (outer)	15410288299461
Units per outer package	2
Packaging outer length / height (cm)	49.7
Packaging outer width (cm)	27.2
Packaging outer depth (cm)	34.0

Safety data

Breakage cleaning instructions	Not applicable
Special purpose lamp	Yes
Intended purpose	Decorative Lighting
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures
Safety message	Dimmable with approved dimmers

ToLEDo Vintage G200 BLACK DIMMABLE
TOLEDO™ VINTAGE G200 BL DIM 105LM 820 E27 SL
0029946

